MADE IN GERMANY

LEXOL®



LUBRICANT RANGE _ 2026

LEXOL® – PERFORMANCE IN MOTION

LEXOL® steht für moderne Schmierstofftechnologie, fundierte Fachkompetenz und zuverlässige Lösungen für Automotive und Industrie. Mit einem klaren Anspruch an Qualität, Performance und Innovation entwickelt und bietet LEXOL® leistungsstarke Schmierstoffe „Made in Germany“ für vielfältige Anwendungen in Fahrzeugen, Maschinen und industriellen Prozessen.

Das Produktprogramm umfasst hochwertige Motorenöle, Industrieschmierstoffe und speziell abgestimmte Produkte für anspruchsvolle technische Anwendungen. Neben bewährten mineralölbasierten Schmierstoffen bietet LEXOL® moderne synthetische Formulierungen sowie biologisch abbaubare Produkte auf Basis nachwachsender Rohstoffe und synthetischer Ester.

Durch ein breit aufgestelltes Sortiment und die kontinuierliche Weiterentwicklung der Produkte bietet LEXOL® passende Lösungen für die Anforderungen moderner Motoren, Maschinen und Anlagen. Dabei verbindet die Marke technisches Know-how mit zuverlässiger Produktqualität und praxisorientierter Anwendungskompetenz.

LEXOL® stands for modern lubricant technology, indepth technical expertise and reliable solutions for the automotive and industrial sectors. With a clear commitment to quality, performance and innovation, LEXOL® develops and supplies high-performance lubricants ‘Made in Germany’ for a wide range of applications in vehicles, machinery and industrial processes.

The product range comprises high-quality engine oils, industrial lubricants and specially formulated products for demanding technical applications. In addition to tried-and-tested mineral oil-based lubricants, LEXOL® offers modern synthetic formulations as well as biodegradable products based on renewable raw materials and synthetic esters.

Thanks to a broad product range and continuous product development, LEXOL® offers suitable solutions for the requirements of modern engines, machinery and plant. The brand combines technical expertise with reliable product quality and practical application expertise.

QUALITÄT, AUF DIE SIE VERTRAUEN KÖNNEN

- Konstante und zuverlässige Produktqualität
- Hohe Leistungsfähigkeit und Prozesssicherheit
- Permanente Kontrolle und Überwachung relevanter Produkteigenschaften
- Ergänzende Qualitätsprüfungen durch unabhängige Prüfinstitute
- Moderne Produktions- und Mischanlagen nach zertifizierten Qualitätsstandards

QUALITY YOU CAN TRUST

- Consistent and reliable product quality
- High performance and process reliability
- Continuous control and monitoring of relevant product properties
- Supplementary quality tests carried out by independent testing institutes
- Modern production and mixing facilities in accord ance with certified quality standards









Engine Oil PCMO

Our high quality lubricants are recommended for:

Extra Prime 0W-8 FE

API SP
JASO GLV-1

Hybrid approved

Extra Prime 0W-16

API SQ
ILSAC GF-7B
Ford, Honda 08215-99974, 08216-99974
Honda 08232-P99S1LHE, Honda Ultra Next/ Ultra Green
Hybrid Engine Nissan KLANM-01A04
Extra Save X Eco
Mitsubishi DiaQueen ECO Plus
Mitsubishi MZ102661, Mitsubishi MZ102662
Toyota 08880-11005

Hybrid approved

Extra Prime 0W-20

API SQ
ILSAC GF-7B
GM dexos™ 1 Gen 3
Ford WSS-M2C947-A, Ford WSS-M2C947-B1
Ford WSS-M2C962-A
Chrysler MS-6395
Daihatsu, Hyundai, Honda, KIA, Isuzu, Lexus, Mazda, Nissan, Subaru, Suzuki, Toyota

Hybrid approved

Extra Prime 0W-30

API SP
ILSAC GF-6A
GM dexos™ 1 Gen 3
GM 60945M
Daihatsu, Hyundai, Honda, KIA, Isuzu, Lexus, Mazda, Nissan, Subaru, Suzuki, Toyota

Hybrid approved

Extra Prime 5W-20

API SP (RC), SN Plus
ILSAC GF-5 / GF-6A
Chrysler MS6395
GM dexos™1 Gen 3
Ford WSS-M2C930-A
Ford WSS-M2C945-A/B1
Ford WSS-M2C960-A
Daihatsu, Hyundai, Honda, KIA, Isuzu, Lexus, Mazda, Nissan, Subaru, Suzuki, Toyota

Hybrid approved

Extra Prime 5W-30

ACEA C3
API SN
MB 229.31/229.51/229.52
VW 502 00/505 00/ 505 01
GM dexos™ 2
BMW Longlife-04

Extra LL III 5W-30

ACEA C3
API SN
BMW Longlife-04
MB 229.31/229.51/229.52
Porsche C30
VW 504/507 00

Extra 5W-30 DX1

API SP
ILSAC GF-6A
GM dexos™1 Gen 3
GM 6094M
Chrysler MS-6395
Fiat 9.55535-CR1
Ford WSS-M2C 929-A
Ford WSS-M2C 946-A/-B1
Ford WSS-M2C 961-A
Daihatsu, Hyundai, Honda, KIA, Isuzu, Lexus, Mazda, Nissan, Subaru, Suzuki, Toyota

Hybrid approved



Engine Oil PCMO

Our high quality lubricants are recommended for:

Extra 10W-30	Extra 10W-40	Extra Basic 10W-40	Extra Basic 15W-40
ACEA A3/B4	ACEA A3/B4	ACEA A3/B3	ACEA A3/B4
API SN/CF	API SN	API SL/CF	API SL/CF
MB 229.1	MB 229.3	MB 229.1	MB 229.1
VW 505 00	VW 502 00/505 00	VW 502 00/505 00	VW 505 00
Jeep	PSA B71 2296		
Toyota			

Engine Oil HDMO

Our high quality lubricants are recommended for:

Heavy Duty 15W-40	Heavy Duty 20W-50	Heavy Duty SAE 50
ACEA E7	ACEA E6/E7/E8/E9/E11	ACEA E2
API CI-4/SL	API CI-4	API SJ/CF-4
Cat ECF-1-a/ECF-2	Cat ECF-1	MB 227.0
Cummins CES	Cummins CES 20076/20077	MAN M 270
20077/20078	DAF Extended Drain	Allison C-4
Detroit Diesel 93K215	Deutz DQC IV-18 LA	Caterpillar TO-2
Deutz DQC III-18	DTFR 15C110	MIL-L-2104 E
DTFR 15B110	Iveco 18-1804 TLS E9/M	MIL-L-46152 E
Global DHD-1	3271-3	MTU Öltyp 1
JASO DH-1	JASO DH-2	
Mack EO-N/EO-M Plus	Mack EO-N	
MAN M 3275-1	MAN M 3477/M 3271-1	
MB 228.3	MB 228.51	
MTU Type 2	MTU Type 3.1	
Renault VI RLD-2	Renault VI RLD-2/RXD/RGD	
Volvo VDS-3	Volvo VDS-3	

Weitere Produkte aus allen Schmierstoffbereichen auf Anfrage erhältlich!
Further products from all lubricant ranges available on request!

Sie bekommen unsere Produkte in den Gebinden 1L, 4L, 5L, 20L , 205L.
Our products are available in 1L, 4L, 5L, 20L, 205L containers!


MADE IN GERMANY
MADE IN GERMANY
LEXOL
EXTRA
10W-40
Empfohlen für/Recommended for:
ACEA A3/B4
API SN/CF
MB 229.3
VW 502 00/505 00
PSA B71 2296
5Le
LEXOL
ATF III
1Le



LEXOL®

by
Leprinxol GmbH

Fahrenheitstraße 11 · 28359 Bremen · Deutschland
Telefon/fon: +49 (0) 421 22 300 - 90 · Fax: +49 (0) 421 22 300 - 925
info@leprinxol.de · www.lexol.eu

Version 1_09.2026